



## CO2 Fractional Laser 12 000 portable

□ FRACTIONAL

MODE (Aesthetic)

□

PULSE

MODE

(Surgery)



PERMANENT



SAFE



PAINLESS



HONOR




SERVICE



## Unique Features:

- Fractional mode (aesthetic) & Pulse mode (surgery) & Gynae mode (gynecology), 3 modes can meet all needs of beautician, plastic surgeon, and gynecologist
- The best quality RF laser tube, the famous "USA-Synrad" brand, it is not necessary to change it frequently in the future
- 7-joint articulated arms imported from South Korea with high-quality lenses and best transmission efficiency.
- Mini-Stepping-Motors imported from Germany used in the arm, makes the laser shoot faster, the energy much more uniform and stable
- High-quality constant current and constant voltage power supply ensures stable and continuous energy for the machine
- Uniquely designed scan heads, easy to operate



Pieza de mango



Láser CO2 para cirugía



Láser CO2 Fraccionado para estiramiento vaginal



Láser CO2 Fraccionado para tratamiento facial



Punta del cuello uterino



Punta de vulva

## Applications:



Smooth scars, such as surgical scars, burned scars, acne scars, etc.



Skin renewal and repaving, especially recovery from sun damage.



Elimination of wrinkles, skin tightening.



Elimination of pigmentation, such as intractable chloasmas, age spots, spots, etc.



Acne treatment, restore your beauty



Vaginal stretching, vaginal whitening, urinary incontinence.

### Fractional Mode

- ☐ Collagen contraction and remodeling.
- ☐ Tightening and stretching of the skin.
- ☐ Remove scars, acne scars, burned scars and scars from surgery etc.
- ☐ Eliminate wrinkles, stretch marks, age spots, freckles, warts, etc.

### Vaginal Mode

- ☐ Vaginal rejuvenation.
- ☐ Tighten vaginally.
- ☐ Improves vaginal lubrication and sensitivity.

### Pulse Mode

- ☐ Eliminate sarcoma, nevo, etc.



## ➤ Clinical Results:



## ➤ Technical Parameters:

Wavelength	P	10600nm
Power	Scan	l ~ 60W
range	Spot	MAX 20mm*20mm
diameter	Scan	100um ~ 2000um
mode	Treatment	Midsplit, Random, Normal
mode		Fractional mode, Pulse mode, Gynae mode
Output graphics		Circle, Square, Triangle, Rectangle, Hexagon, Straight line
Delivery	beam	7-joint articulated arm with rotation up to 360°
Screen	Voltage	8" touch LCD display
Package	size	220V/50HZ, 110V/60 HZ
Package	weight	75*47*33cm & 75*20*13cm
		57.55kg & 5.35kg